**AMENDMENTS TO THE CLAIMS** 

1. (Currently amended) A file reproduction apparatus for reproducing a file recorded on a

recording medium, comprising:

a file controller containing real data and management information used for reproducing said

real data;

a management information unit that provides said management information is provided for

blocks composed of a first block and a sequence of subsequent blocks following said first bock as

blocks of said real data;

wherein said management information associated with each of said subsequent blocks included

in said real data as blocks other than said first block of said real data is provided as information

including standard settings and at least some settings taking said standard settings as a reference,

wherein said management information associated with said first block of said real data is

provided as settings corresponding to said standard settings, and

wherein said management information associated with each of said subsequent blocks is

modified to settings compatible with said management information associated with said first block;

and

a real data reproduction unit that reproduces real data on the basis of said modified

management information.

2

2. (Original) The file reproduction apparatus according to claim 1, wherein:

said real data is video data and;

said management information is provided for each sample corresponding to a frame of said real

Docket No.: SON-3118

data.

3. (Original) The file reproduction apparatus according to claim 2, wherein:

one piece of said management information provided for a sample is an identification showing

that said sample is a random-accessible sample; and

on the basis of said identification included in said modified management information, said

reproduction apparatus selectively reproduces said real data in order to reproduce said real data at a

variable speed.

4. (Original) The file reproduction apparatus according to claim 2, wherein:

one piece of said management information is position information corresponding to a

reproduction time of said real data; and

on the basis of said position information included in said modified management information,

said reproduction apparatus starts a process to reproduce said real data in order to commence

reproduction of said real data at a reproduction time indicated by said position information.

3

5. (Original) The file reproduction apparatus according to claim 1, wherein:

said modified management information associated with a plurality of said blocks is stored in a memory as information necessary for a process to reproduce said real data; and

said modified management information associated with a block already completing said process to reproduce said real data is deleted from said memory and management information associated with a next block following a plurality of said blocks is modified to settings compatible with said management information associated with said first block, being stored in said memory.

6. (Original) The file reproduction apparatus according to claim 5, wherein:

said modified management information associated with a plurality of said blocks includes boundary information stored in said memory as information showing boundaries between said blocks; and

said modified management information associated with a block already completing said process to reproduce said real data is deleted from said memory by taking said boundary information as a reference.

7. (Original) The file reproduction apparatus according to claim 1, wherein said modified management information is recorded onto said recording medium and used for creation of another file used for referencing said real data stored in said file as another file having an external reference format.

8. (Previously presented) A file reproduction method for reproducing a file recorded on a recording medium, comprising:

reproducing real data wherein said file is a file containing real data and management information;

providing said management information for each of blocks composed of a first block and a sequence of subsequent blocks following said first bock as blocks of said real data;

providing said management information associated with each of said subsequent blocks included in said real data as blocks other than said first block of said real data as information including standard settings and at least some settings taking said standard settings as a reference;

providing said management information associated with said first block of said real data as settings corresponding to said standard settings;

modifying said management information associated with each of said subsequent blocks to settings compatible with said management information associated with said first block; and reproducing said real data on the basis of said modified management information.

## 9. (Canceled)

Application No. 10/574,930

Amendment dated October 22, 2009

After Allowance Under 37 C.F.R. 1.312

10. (Previously presented) A recording medium used for storing a computer program product

Docket No.: SON-3118

to be executed by a computer as a program implementing a file reproduction method for

reproducing a file recorded on another recording medium by execution of a predetermined

processing procedure, said computer program product comprising a computer readable medium

including program code stored thereon, said program code being executable to perform operations

comprising:

creating a file containing real data and management information used for reproducing said real

data;

providing said management information for each of blocks composed of a first block and a

sequence of subsequent blocks following said first bock as blocks of said real data;

providing said management information associated with each of said subsequent blocks

included in said real data as blocks other than said first block of said real data as information

including standard settings and at least some settings taking said standard settings as a reference;

and

providing said management information associated with said first block of said real data as

settings corresponding to said standard settings; and

modifying said management information associated with each of said subsequent blocks

to settings compatible with said management information associated with said first block,

reproducing said real data on the basis of said modified management information.

6